

IN THE CLAIMS

Please amend the claims as follows:

Claims 1-10 (Canceled).

Claim 11 (Currently Amended): A composition for nasal absorption ~~comprising~~
consisting of a carrier and an effective dose of an opioid analgesic,

wherein the carrier is calcium carbonate, calcium phosphate, or a combination thereof,

wherein the carrier has an average particle size of ~~60~~ 62 μm to 100 μm ,
~~an effective dose of an opioid analgesic,~~

wherein the effective dose of the opioid analgesic is uniformly distributed and attached to the carrier, and

wherein the opioid analgesic is at least one analgesic selected from the group consisting of fentanyl and fentanyl citrate.

Claim 12 (Previously Presented): The composition of claim 11, wherein the carrier is calcium carbonate.

Claim 13 (Previously Presented): The composition of claim 11, wherein the carrier is calcium phosphate.

Claim 14 (Previously Presented): The composition of claim 11, wherein the carrier is a combination of calcium carbonate and calcium phosphate.

Claim 15 (Previously Presented): The composition of claim 11,

wherein the content of the opioid analgesic is from 0.01 to 50% by weight, and
wherein the content of the carrier is from 50 to 99.99% by weight.

Claim 16 (Previously Presented): A method of treating pain in a patient in need thereof, comprising intranasally administering the composition of claim 11 to the patient in need thereof, in an amount sufficient to treat the pain.

Claim 17 (Previously Presented): The method of claim 16, wherein the pain is post-surgery pain.

Claim 18 (Previously Presented): The method of claim 17, wherein the pain is cancer pain.

Claim 19 (Previously Presented): The method of claim 18, wherein the cancer of the cancer pain is terminal cancer.

Claim 20 (Previously Presented): The method of claim 18, wherein the cancer of the cancer pain is cancer of the digestive system.

Claims 21-22 (Canceled).

Claim 23 (New): A composition for nasal absorption consisting essentially of a carrier and an effective dose of an opioid analgesic,

wherein the carrier is calcium carbonate, calcium phosphate, or a combination thereof,

wherein the carrier has an average particle size of 62 μm to 100 μm ,

wherein the effective dose of the opioid analgesic is uniformly distributed and attached to the carrier,

wherein the opioid analgesic is at least one analgesic selected from the group consisting of fentanyl and fentanyl citrate, and

wherein the opioid analgesic is in the form of a powder with an average particle size of up to 20 μm .

Claim 24 (New): The composition of claim 23, wherein the opioid analgesic is in the form of a powder with an average particle size of up to 10 μm .

Claim 25 (New): The method of treating pain in a patient in need thereof, comprising intranasally administering the composition of claim 23 to the patient in need thereof, in an amount sufficient to treat the pain.

Claim 26 (New): The composition of claim 11, wherein the opioid analgesic is in the form of a powder with an average particle size of up to 20 μm .

Claim 27 (New): The composition of claim 11, wherein the opioid analgesic is in the form of a powder with an average particle size of up to 10 μm .